Fig. 1 - TREATMENT CHAMBER TOP VIEW

NOTE: Sharp edges of electrodes are oriented perpendicular to fluid flow

 $\langle 10 \rangle$  - FLAT ELECTRODE

「2~ SHAPED ELECTRODE

14 - FLUID PASSAGE DUCT

 $\langle 16 \rangle$  - POWER CIRCUIT




Fig. 2 - TREATMENT CHAMBER END VIEW




Fig. 3A -- ELECTRIC FIELD FLAT FACED ELECTRODES





Fig. 3B - ELECTRIC FIELD SHAPED ELECTRODE



- $\langle 12 \rangle$  shaped electrode
- $\langle 18 \rangle$  electric field



NOTE: ELECTRIC FIELD
CONCENTRATION REACHES
VERY HIGH VALUES AT
SHARP POINTS

## Fig. 4 -- TREATMENT CHAMBER ADDITIONAL EMBODIMENT

NOTE: Sharp edges of electrodes are oriented perpendicular to fluid flow

- (12) SHAPED ELECTRODE
- (14) FLUID PASSAGE DUCT
- $\langle 16 \rangle$  POWER CIRCUIT




Fig. 5 -- TREATMENT CHAMBER -- WIRE ELECTRODES
ALTERNATE EMBODIMENT
Top view

oriented perpendicular to fluid flow

NOTE: Wire electrodes are

/4/ - FLUID PASSAGE DUCT

 $\left( \frac{1}{6} \right)$  - POWER CIRCUIT

 $\langle 20 \rangle$  - Charged wire electrode

(22) - . WIRE ELECTRODE HOLDER




Fig. 6 - TREATMENT CHAMBER - FOIL ELECTRODES ADDITIONAL EMBODIMENT

Top View



 $\langle | \omega \rangle$  - POWER CIRCUIT

24 - CHARGED FOIL ELECTRODE

 $\langle 26 \rangle$  – FOIL ELECTRODE HOLDER

NOTE: Foil electrodes are oriented perpendicular to fluid flow

NOTE: Electrodes are fabricated from conductive foil or thin sheet metal

